



The results are certified only on the tested sample as indicated in this report. The report shall not be reproduced without written approval from Intertek. Attention is drawn to the Terms and Conditions for Inspection printed overleaf.

TESTING

**Test Report** 

No.0111 Number: FS1714705S1

Date: Jul 24, 2017

**Applicant**: Truly Organics Co. Ltd.

988/30 Ramindra Road, Kannayao Sub-district, Kannayao District, Bangkok 10230 Thailand

Sample Description: Product name: Rawganiq Organic Black chia seed

Batch number : CSB-Z-Y-C

MFG: 09072017 BBD: 08072018

Sample No.: 1714705 Sample Quantity: 300 g.

Sample Condition: Sample is contained in plastic pouch with tightly sealed.

Date Received: July 11, 2017 Date Commenced: July 11, 2017

**Test Conducted:** As Requested by the applicant,

Test Items	<u>Method</u>	LOD	<u>Specification</u>	Results	<u>Units</u>
1. Lead (Pb)*	In-house method:TM-HM-098 based on AOAC official Methods of Analysis 19th ed.,2012,method 999.10	0.01	≤0.2	Not detected	mg/kg
2. Arsenic (As)*	In-house method :TM-HM-098 based on AOAC Official Methods of Analysis 19 <sup>th</sup> ed., 2012, method 999.10	0.01	≤2.0	<0.03	mg/kg
3. Cadmium (Cd)*	In-house method:TM-HM-098 base on AOAC official Methods of Analysis 19 <sup>th</sup> ed.,2012,method 999.10	0.01	≤0.1	Not detected	mg/kg
4. Total plate count*	FDA Bacteriological Analytical Manual online, Chapter 3, January 2001	-	≤10,000	1.2x10 <sup>2</sup> (EAPC)	CFU/g
5. Yeast and Mold*	FDA Bacteriological Analytical Manual online, Chapter 18, January 2001	-	≤100	<10	CFU/g

Remark: The reference of specification as show on the report based on Codex general Standard for contaminants and toxin in food and feed (CODEX STAN 193-1995) and Notification of the Ministry of public Health No. 355 B.E. 2556

LOD = Limit of detection < = Less than

< = Less than ≤ = Less than or equal

EAPC = Estimated Aerobic Plate Count

"Test(s) marked \* on this report are accredited in the ISO/IEC 17025 accreditation scope"

This report superseded the previous report FS1714705 Date Jul 20, 2017

Authorized by:

For Intertek Testing Services (Thailand) Ltd.

Saovarat Tubjai Laboratory Manager Food Services