



The results are certified only on the tested sample as indicated in this report. The report shall not be reproduced without written approval from Intertek. Attention is drawn to the Terms and Conditions for Inspection printed overleaf.

TESTING

**Test Report** 

No.0111 Number: FS1714701S1

Date: Jul 24, 2017

Applicant: Truly Organics Co. Ltd.

988/30 Ramindra Road, Kannayao Sub-district, Kannayao District, Bangkok 10230 Thailand

Sample Description: Product name: Rawganiq Organic Cashew nut butter

Batch number : CWB-Z-T-H

MFG: 08072017 BBD: 07072018

Sample No.: 1714701 Sample Quantity: 200 g.

Sample Condition: Sample is contained in glass bottle with tightly sealed.

Date Received: July 11, 2017
Date Commenced: July 11, 2017

Total Constituted As Demonstrative the state of the state

## Test Conducted: As Requested by the applicant,

| Test Items            | <u>Method</u>   | <u>LOD</u> | <u>Specification</u> | <u>Results</u>             | <u>Units</u> |
|-----------------------|---|------------|----------------------|----------------------------|--------------|
| 1. Lead (Pb)*         | In-house method:TM-HM-098 based on AOAC official Methods of Analysis 19th ed.,2012,method 999.10                | 0.01       | ≤1.0                 | Not detected               | mg/kg        |
| 2. Arsenic (As)*      | In-house method :TM-HM-098 based on AOAC Official Methods of Analysis 19 <sup>th</sup> ed., 2012, method 999.10 | 0.01       | ≤2.0                 | 0.03                       | mg/kg        |
| 3. Cadmium (Cd)*      | In-house method:TM-HM-098 base on AOAC official Methods of Analysis 19 <sup>th</sup> ed.,2012,method 999.10     | 0.01       | -                    | Not detected               | mg/kg        |
| 4. Total plate count* | FDA Bacteriological Analytical Manual online,<br>Chapter 3, January 2001  | -          | ≤10,000              | 1.7x10 <sup>2</sup> (EAPC) | CFU/g        |
| 5. Yeast and Mold*    | FDA Bacteriological Analytical Manual online,<br>Chapter 18, January 2001                                       | -          | ≤100                 | <10                        | CFU/g        |

Remark: The reference of specification as show on the report based on Notification of the Ministry of public Health No. 355 B.E. 2556

LOD = Limit of detection < = Less than

≤ = Less than or equal

EAPC = Estimated Aerobic Plate Count

"Test(s) marked \* on this report are accredited in the ISO/IEC 17025 accreditation scope"

This report superseded the previous report FS1714701 Date Jul 20, 2017

Authorized by:

For Intertek Testing Services (Thailand) Ltd.

Saovarat Tubjai Laboratory Manager Food Services