

The results are certified only on the tested sample as indicated in this report.
 The report shall not be reproduced without written approval from Intertek.
 Attention is drawn to the Terms and Conditions for Inspection printed overleaf.

Test Report

Number: FS1907395

Applicant: Truly Organics Co. Ltd.
 519/175-176 Pornprapanimit Road, Moo 6, Nong Prue,
 Banglamung, Chonburi 20150 Thailand

Date: Mar 08, 2019

Sample Description: Organic black sesame seed oil (BSO-A-Z-O)
 Sample No.: 1907395
 Sample Quantity: 450 ml.
 Sample Condition: Sample is contained in glass bottle with tightly sealed.
 Date Received: February 28, 2019
 Date Commenced: March 01, 2019

Test Conducted: As Requested by the applicant,

| <u>Test Items</u> | <u>Method</u> | <u>LOD</u> | <u>Results</u> | <u>Units</u> |
|----------------------------|---|------------|--------------------------|--------------|
| 1. Lead (Pb) | In-house method :TM-HM-098 based on AOAC Official Methods of Analysis 20 th ed., 2016, method 999.10 | 0.01 | Not detected | mg/kg |
| 2. Arsenic (As) | In-house method :TM-HM-098 based on AOAC Official Methods of Analysis 20 th ed., 2016, method 999.10 | 0.01 | Not detected | mg/kg |
| 3. Acid Value | In-house method Based on AOCS Official Method Cd 3a-63 | - | 2.74 | mg KOH/g |
| 4. Peroxide Value | In-house method Based on AOCS Official Method Cd 8-53 | - | 0.50 | meq/kg |
| <u>Microbiology</u> | | | | |
| 5. Total plate count | FDA Bacteriological Analytical Manual online, Chapter 3, January 2001 | - | 1.2x10 _(EAPC) | CFU/ml |
| 6. Yeast | FDA Bacteriological Analytical Manual online, Chapter 18, January 2001 | - | <1 | CFU/ml |
| 7. Mold | FDA Bacteriological Analytical Manual online, Chapter 18, January 2001 | - | <1 | CFU/ml |

Remark:

LOD = Limit of detection
 < = Less than
 EAPC = Estimated Aerobic Plate Count

***** E N D *****HR/CHW

Authorized by:
 For Intertek Testing Services (Thailand) Ltd.



 Saovarat Tubjai
 Laboratory Manager
 Food Services