





TESTING No.0111

The results are certified only on the tested sample as indicated in this report. The report shall not be reproduced without written approval from Intertek. Attention is drawn to the Terms and Conditions for Inspection printed overleaf.

Test Report

Applicant:

Number: FS1907387

Date: Mar 08, 2019

Truly Organics Co. Ltd. 519/175-176 Pornprapanimit Road, Moo 6, Nong Prue, Banglamung, Chonburi 20150 Thailand

Test Conducted: As Requested by the applicant,

Test Items	Method	LOD	<u>Results</u>	<u>Units</u>
1. Lead (Pb)*	In-house method :TM-HM-098 based on AOAC Official Methods of Analysis 20 th ed., 2016, method 999.10	0.01	0.05	mg/kg
2. Arsenic (As)*	In-house method :TM-HM-098 based on AOAC Official Methods of Analysis 20 th ed., 2016, method 999.10	0.01	Not detected	mg/kg
Microbiology				
3. Total plate count*	FDA Bacteriological Analytical Manual online, Chapter 3, January 2001	-	<10	CFU/g
4. Yeast*	FDA Bacteriological Analytical Manual online, Chapter 18, January 2001	-	<10	CFU/g
5. Mold*	FDA Bacteriological Analytical Manual online, Chapter 18, January 2001	-	<10	CFU/g

Remark:

Authorized by: For Intertek Testing Services (Thailand) Ltd.

Saovarat Tubjai Laboratory Manager Food Services