





TESTING No.0111

Test Report

Applicant:

Number: FS1814217S1

Date: Jun 13, 2018

Truly Organics Co. Ltd. 988/30 Ramindra Road,Kannayao Sub-district, Kannayao District, Bangkok 10230 Thailand

Test Conducted: As Requested by the applicant,

Test Items	Method	LOD	Specification	<u>Results</u>	<u>Units</u>
1. Lead (Pb)*	In-house method :TM-HM-098 based on AOAC Official Methods of Analysis 20 th ed., 2016, method 999.10	0.01	≤1	0.05	mg/kg
2. Arsenic (As)*	In-house method :TM-HM-098 based on AOAC Official Methods of Analysis 20 th ed., 2016, method 999.10	0.01	≤2	0.25	mg/kg
3. Cadmium (Cd)*	In-house method :TM-HM-098 based on AOAC Official Methods of Analysis 20 th ed., 2016, method 999.10	0.01	-	Not detected	mg/kg
4. Total plate count*	FDA Bacteriological Analytical Manual online, Chapter 3, January 2001	-	≤10,000	<10	CFU/g
5. Yeast*	FDA Bacteriological Analytical Manual online, Chapter 18, January 2001	-	≤100	<10	CFU/g
6. Mold*	FDA Bacteriological Analytical Manual online, Chapter 18, January 2001	-	≤100	<10	CFU/g

Remark: The reference of specification as show on the report based Notification of Ministry of public Health No. 355 B.E.2556 LOD = Limit of detection

= Less than

"Test(s) marked * on this report are accredited in the ISO/IEC 17025 accreditation scope"

This report superseded the previous report FS1814217 Date Jun 07, 2018

Authorized by: For Intertek Testing Services (Thailand) Ltd.

m

Saovarat Tubjai Laboratory Manager Food Services